





QM-GLMP10AD: Professional gloss photo paper w/ permanent adhesive

This true resin coated heavyweight photo paper with permanent adhesive allows for heavy ink saturation. It has an instant dry coating for fast production times and a high gloss finish for professional results.



Benefits:

- Water Resistant
- Gloss Finish
- True Resin Coated
- Instant Dry Coating

Applications:

- Mounting
- Gallery Prints
- Photo Reproduction
- Posters / POP Displays

TECHNICAL DATA: QM-GLMP10AD – PROFFESIONAL GLOSS PHOTO PAPER W/ PERMANENT ADHESIVE		
Gloss	WHITENESS:	154 (CIE Ganz)
Paper	GLOSS MEASUREMENT:	96 +/- 10% by angle of 60°
Permanent	OPACITY:	96
PET	STORAGE:	3 Yrs. Below 100° F / RH Below 40°
42 GSM +/- 10%	ROLL LENGTH:	100 FT.
1 +/5 Mil	ROLL WIDTHS:	36", 50"
260 GSM +/- 10%	CORE:	3" with 2" Adapter
10 Mil +/- 1	PRINT SIDE:	Print Side Out
100 (ISO Blue Whiteness)	INK RECOMENDATIONS:	AQUEOUS
	Gloss Paper Permanent PET 42 GSM +/- 10% 1 +/5 Mil 260 GSM +/- 10% 10 Mil +/- 1	Gloss WHITENESS: Paper GLOSS MEASUREMENT: Permanent OPACITY: PET STORAGE: 42 GSM +/- 10% ROLL LENGTH: 1 +/5 Mil ROLL WIDTHS: 260 GSM +/- 10% CORE: 10 Mil +/- 1 PRINT SIDE:



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly.