



QM-GPFH: Heavy weight gloss WR coated fabric

Perfect solution for low-cost decor prints. Gloss finish means you don't have to laminate or finish for production. Good crack resistance for gallery wrapping. Also use as a hanging POP banner solution.



Benefits:

- Non-PVC Woven Polyester Fabric
- Durable and Strong
- Rich Gloss Finish
- Water & Scratch Resistant




Applications:

- Decor Gallery Wraps
- POS Hanging Display
- Soft Signage

Registered Latex Developer



TECHNICAL DATA: QM-GPFH – HEAVY WEIGHT GLOSS WR COATED FABRIC

SURFACE FINISH:	Gloss	OPACITY:	70
FABRIC WEAVE::	600 x 300D	STORAGE:	Indoor 6 mos. between 50-80°
BASE MATERIAL:	Polyester	ROLL LENGTH:	150 FT.
BASE WEIGHT:	250 GSM +/- 10%	ROLL WIDTHS:	36"
CALIPER:	13 Mil +/- 1	CORE:	2"
BRIGHTNESS:	85 (ISO Blue Whiteness)	PRINT SIDE:	Print Side Out
WHITENESS:	143 (CIE Ganz)	INK RECOMMENDATIONS:	 AQUEOUS  LATEX  UV
GLOSS MEASUREMENT	70 +/- 10% by angle of 60°		



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly.