



QM-WRPPAD: Everyday matte polypropylene w/ permanent adhesive

Our #1 selling item, high performing matte polypropylene that can accept high ink loads and produce exceptional color graphics and detail. Best used on any flat mounted surface, easier than vinyl to apply due to the rigidity. With a new and improved adhesive that gets more aggressive over time.



Benefits:

- Water Resistant
- Non-Glare Matte Finish
- Tear Resistant
- Economical

Applications:

- Best for Flat Mounting
- Mounting to Rigid Board or Windows
- Decals and POP Signage

Registered Latex Developer

TECHNICAL DATA: QM-WRPPAD – EVERYDAY MATTE POLYPROPYLENE W/ PERMANENT ADHESIVE

SURFACE FINISH:	Matte	WHITENESS:	95 (CIE Ganz)
BASE MATERIAL:	Polypropylene	OPACITY:	96
ADHESIVE:	Permanent Clear Acrylic	STORAGE:	Indoor, 3 yrs. between 50-80° and below 40° RH
LINER WIEGHT:	75 GSM +/- 10%	ROLL LENGTH:	100 FT.
LINER THICKNESS:	3 Mil +/- 1	ROLL WIDTHS:	24", 36", 42", 50", 60"
FACE STOCK WEIGHT:	103 GSM +/- 10%	CORE:	2"
FACE STOCK CALIPER:	6 Mil	PRINT SIDE:	Print Side Out
BRIGHTNESS:	108 (ISO Blue Whiteness)	INK RECOMENDATIONS:	AQUEOUS UV LATEX



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly.

