



# Monarch

Aqueous Matte Media



## QM-WRPPBO: Hybrid Matte Block-Out Film

Smooth, matte porous top coating will not only allow for heavy ink saturation with aqueous inks but works extremely well with latex and UV inks producing vivid graphics. The block-out layer keeps your display bright with no wash-out. The back side coating creates an economical product with good stay-flatness. The perfect solution to short-term trade show displays and posters.



### Benefits:

- Instant Dry for Immediate Production Times
- Water Resistant
- Good Tear Resistant
- 100% Opaque

### Applications

- Window Application with Mounting Adhesive
- Durable Posters
- Trade Show Display
- Low Cost Roll-Up

Registered Latex Developer



#### TECHNICAL DATA: QM-WRPPBO – HYBRID MATTE BLOCK-OUT FILM

SURFACE FINISH:	Matte	OPACITY:	100%
BASE MATERIAL:	Hybrid	GLOSS MEASUREMENT:	2 +/- 10% by angle of 60°
BASE WEIGHT:	185 GSM +/- 10%	ROLL LENGTH:	100 FT.
CALIPER (mil):	10 +/- 1	ROLL WIDTHS:	36, 42, 50, 60"
BRIGHTNESS:	96 (ISO Blue Whitness)	CORE:	3" with 2" Adapter
WHITENESS:	125 (CIE Ganz)	PRINT SIDE:	Print Side Out
STORAGE:	Indoor, 1 yr. between 50-80°	INK RECOMMENDATIONS:	AQUEOUS  UV  LATEX



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly.