



QM-SPFLS: Light weight satin eco-solvent coated fabric

Our ultra light fabric has a soft feel but is rigid enough to run through your printer without bunching. Made out of 100% polyester, creating a very durable POS displays, hanging flags or banners for retail or home decor. Can be easily sewn and grommeted with banner tabs.



Benefits:

- Scratch Resistant
- Instant Dry Coating
- Long Lasting Indoor/Outdoor
- Recyclable ♻️

Applications:

- POP Display
- Banner
- Window Display
- Photo Reproduction

Registered Latex Developer



TECHNICAL DATA: QM-SPFLS – LIGHT WEIGHT SATIN ECO-SOLVENT COATED FABRIC

| | | | |
|-------------------|---------------------------|----------------------|--|
| SURFACE FINISH: | Light Semi-gloss | OPACITY: | 72 |
| DENIER | 150 x 150D | DURABILITY: | Indoor: Up to 1 year Outdoor: Up to 6 months |
| BASE MATERIAL: | Polyester | ROLL LENGTH: | 150 FT. |
| BASE WEIGHT: | 140 GSM +/- 10% | ROLL WIDTHS: | 36", 54" |
| CALIPER: | 8 Mil +/- 1 | CORE: | 3" |
| BRIGHTNESS: | 78 (ISO Blue Whiteness) | PRINT SIDE: | Print Side Out |
| WHITENESS: | 120 (CIE Ganz) | INK RECOMMENDATIONS: | ES ECO-SOLVENT L LATEX UV UV |
| GLOSS MEASUREMENT | 8 +/- 10% by angle of 60° | | |



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. Storage: Up to one year if stored in proper conditions (cool, dry place 50-80°)