



Durable matte nonwoven fabric

This media is the perfect alternative to heavy, expensive aqueous scrim banner. Made from pressed polypropylene fibers, it is a super thick, strong, and lightweight product. Can be rolled, folded, grommeted, sewn, and best of all, recycled. The price point is typically half of what you would spend on a coated scrim, allowing you to walk away with a higher profit while also staying green.



Benefits:

- Non-Woven Polypropylene Fibers
- Durable & Lightweight
- Recyclable
- Easy to Sew and Grommet
- Economical

Applications:

- Hanging Banners
- Indoor POP Signage
- Roll Up Displays
- Eco-Friendly Installations
- Best PVC Scrim Banner Alternative

TECHNICAL DATA: DURABLE MATTE NONWOVEN FABRIC

| | | | |
|-----------------|-------------------------|---------------------|--------------------------------------|
| SURFACE FINISH: | Matte | GLOSS MEASUREMENT: | 3 +/- 10 by Angle of 60° |
| BASE MATERIAL: | Polypropylene | DURABILITY: | Indoor: 1 year Outdoor: 6 months |
| BASE WEIGHT: | 158 GSM +/- 10% | ROLL LENGTH: | 60, 100 FT. |
| CALIPER: | 22 Mil +/- 2 | ROLL WIDTHS: | 36" & 60" |
| BRIGHTNESS: | 83 (ISO Blue Whiteness) | CORE: | 3" (36" x 100' available on 2" core) |
| WHITENESS: | 90 (CIE Ganz) | PRINT SIDE: | Print Side Out |
| OPACITY: | 88 | INK RECOMENDATIONS: | AQUEOUS UV LATEX |



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets, actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. Storage: Up to one year if stored in proper conditions (cool, dry place 50-80°)