

## Matte/Gloss PET

This bright white polyester film coated 2 sides is ideal for high quality digital print. The rich white coating allows you to both flexo print and digital print a high color gamut. This sheet can also be printed on a UV forms press and die cut to make plastic ID cards, hang tags, key fobs, etc. The combination matte/gloss allows for versality to achieve the look and feel your customer is looking for. The matte side is for toner or UV inkjet only.



## Benefits:

- Ultra Tear Resistant
- Perforation Friendly
- Water Resistant
- Semi-Rigid
- Great for High Moisture Areas

## Applications:

- Shelf Strips
- Wobblers
- Hanging Signage
- Business Cards

| TECHNICAL DATA: MATTE/GLOSS PET |                            |                      |   |
|---------------------------------|----------------------------|----------------------|---|
| SURFACE FINISH:                 | Matte/Gloss                | GLOSS MEASUREMENT:   | Matte Side 4 +/- 10% Gloss Side 30 +/- 10%          |
| MELTING POINT:                  | 390° F                     | OPACITY:             | 90  |
| BASE WEIGHT:                    | 290 GSM +/- 10%            | DURABILITY:          | Indoor: Up to 1 year Outdoor: Up to 6 months        |
| CALIPER:                        | 8 MIL +/- 1 & 10 MIL +/- 1 | SHEET SIZES:         | 12 x18 in. 13 x19 in. Special Order Sizes Available |
| BRIGHTNESS:                     | 80 (ISO Blue Whiteness)    | PRINT SIDE:          | Double Side Printable                               |
| WHITENESS                       | 82 (CIE Ganz)              | INK RECOMMENDATIONS: | © COLOR LASER, INDIGO, DIGITAL PRESS, UV            |



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. Storage: Up to one year if stored in proper conditions (cool, dry place 50-80°)