





QM-POLCAN:

Archival grade matte WR coated polyester/cotton canvas

An exceptional museum grade canvas for the most discerning printer. Compare our canvas to any competitive matte canvas and you will find that it's an OBA-Free coating, along with bright white point translates to a true archival, acid-free print production. The matte receptive coating allows for heavy ink loads providing wide color gamut, high black DMAX, and rich skin tones. Finish this canvas off a with liquid laminate for crack-free gallery wrapping.



Benefits:

- 35% Cotton/65% Polyester
- Anti-Sag Weave
- True Archival
- OBA Free Coating
- Matte Finish

Applications:

- Museum And Gallery Prints
- Home Décor Printing
- Photo Reproduction
- Gallery Stretched Giclee's
- Framed Art



TECHNICAL DATA:			
SURFACE FINISH:	Matte	OPACITY:	96
BASE MATERIAL:	35% cotton 65% polyester	DURABILITY:	Indoor: 25 years+ Outdoor: 6 months
WEAVE:	2:1 Oxford	ROLL LENGTH:	45 FT.
BASE WEIGHT:	420 GSM +/ - 10%	ROLL WIDTHS:	24", 36", 44", & 60"
CALIPER:	20 Mil +/- 2	CORE:	3" with 2" adapter
BRIGHTNESS:	82 (ISO Blue Whiteness)	PRINT SIDE:	Print Side Out
WHITENESS:	79 (CIE Ganz)	INK RECOMMENDATIONS:	AQUEOUS LATEX UV UV
GLOSS MEASUREMENT:	3 +/- 10% by angle of 60°		



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. Storage: Up to one year if stored in proper conditions (cool, dry place 50-80°)

